

1 Thread-Level Parallelism

OpenMP provides an easy interface for using multithreading within C programs. Some examples of OpenMP directives:

- The `parallel` directive indicates that each thread should run a copy of the code within the block. If a for loop is put within the block, **every** thread will run every iteration of the for loop.

```
#pragma omp parallel
{
    ...
}
```

NOTE: The opening curly brace needs to be on a newline or else there will be a compile-time error!

- The `parallel for` directive will split up iterations of a for loop over various threads. Every thread will run **different** iterations of the for loop. The exact order of execution across all threads, as well as the number of iterations each thread performs, are both non-deterministic, as the OpenMP library load balances threads for performance. The following two code snippets are equivalent.

```
#pragma omp parallel for          #pragma omp parallel
for (int i = 0; i < n; i++) {     {
    ...                           #pragma omp for
}                                  for (int i =0; i < n; i++) { ... }
}
```

There are two functions you can call that may be useful to you:

- `int omp_get_thread_num()` will return the number of the thread executing the code
- `int omp_get_num_threads()` will return the number of total hardware threads executing the code

1.1 For each question below, state and justify whether the program is **sometimes incorrect**, **always incorrect**, **slower than serial**, **faster than serial**, or **none of the above**. Assume the number of threads can be any integer greater than 1. Assume no thread will complete in its entirety before another thread starts executing. Assume `arr` is an `int[]` of length `n`.

(a) // Set element `i` of `arr` to `i`

```
#pragma omp parallel
{
```

```
    for (int i = 0; i < n; i++)  
        arr[i] = i;  
}
```

(b) // Set arr to be an array of Fibonacci numbers.

```
arr[0] = 0;  
arr[1] = 1;  
#pragma omp parallel for  
for (int i = 2; i < n; i++)  
    arr[i] = arr[i-1] + arr[i - 2];
```

(c) // Set all elements in arr to 0;

```
int i;  
#pragma omp parallel for  
for (i = 0; i < n; i++)  
    arr[i] = 0;
```

(d) // Set element i of arr to i;

```
int i;  
#pragma omp parallel for  
for (i = 0; i < n; i++)  
    *arr = i;  
    arr++;
```

2 Locks and Critical Sections

- 2.1 Consider the following multithreaded code to compute the product over all elements of an array.

```

1 // Assume arr has length 8*n.
2 double fast_product(double *arr, int n) {
3     double product = 1;
4     #pragma omp parallel for
5     for (int i = 0; i < n; i++) {
6         double subproduct = arr[i*8]*arr[i*8+1]*arr[i*8+2]*arr[i*8+3]
7             * arr[i*8+4]*arr[i*8+5]*arr[i*8+6]*arr[i*8+7];
8         product *= subproduct;
9     }
10    return product;
11 }
```

(a) What is wrong with this code?

(b) Fix the code using `#pragma omp critical`. What line would you place the directive on to create that critical section?

- 2.2 When added to a `#pragma omp parallel for` statement, the `reduction(operation : var)` directive creates and optimizes the critical section for a for loop, given a variable that should be in the critical section and the operation being performed on that variable. An example is given below.

```

1 // Assume arr has length n
2 int fast_sum(int *arr, int n) {
3     int result = 0;
4     #pragma omp parallel for reduction(+: result)
5     for (int i = 0; i < n; i++) {
6         result += arr[i];
7     }
8     return result;
9 }
```

Fix the code by adding the `reduction(operation: var)` directive to the `#pragma omp parallel for` statement. Which variable should be in the critical section, and what is the operation being performed?

3 Multi-Process Code

- 3.1 One of the many responsibilities of the OS is to load new programs, and in order to do this it creates a new process and loads in the program to execute. In Linux, the system call to create a new process is `fork()`. `fork()` creates a new process by duplicating the calling process. The new process is referred to as the child process. The calling process is referred to as the parent process. In the parent process, `fork()` returns the process ID of the child or -1 if the fork has failed. In the child process, it returns 0.

Use this information to complete the code block below, which creates a child process to change the value of `y` while the parent process changes the value of `x`. Assume any call to `fork()` is successful.

```
int x = 10;
int y = 0;
int pid = _____;
if(_____){
    y++
}
else{
    x--;
}
```

- 3.2 After the code segment completes, what will be the values of `x` and `y` for the parent?
- 3.3 After the code segment completes, what will be the values of `x` and `y` for the child?

4 Open MPI

Beyond multithreading, the idea of process-level programming is to run one program on multiple processes at once.

The Open MPI project provides a way of writing programs which can be run on multiple processes. We can use its C libraries by calling their functions. Then, when we run the program, Open MPI will create a bunch of processes and run a copy of the code on each process. Here is a list of the most important functions for this class:

- **int MPI_Init(int* argc, char*** argv)** should be called at the start of the program, passing in the addresses of argc and argv.
- **int MPI_Finalize()** should be called at the end of the program.
- **int MPI_Comm_size(MPI_COMM_WORLD, int *size)** gets the total number of processes running the program, and puts it in size.
- **int MPI_Comm_rank(MPI_COMM_WORLD, int *rank)** gets the ID of the current process (0 ~ total number of processes - 1) and puts it in rank.
- **int MPI_Send(const void *buf, int count, MPI_Datatype datatype, int dest, 0, MPI_COMM_WORLD)** sends a message in buf, which consists of count things with data type datatype to the process with ID dest.
- **int MPI_Recv(void *buf, int count, MPI_Datatype datatype, int source, 0, MPI_COMM_WORLD, MPI_Status *status)** receives a message consisting of count things with data type datatype from the process with ID source, and puts the message into buf. Some additional information is put into a struct at status.
 - If you want to receive a message from any source, set the source to be MPI_ANY_SOURCE.
 - The source of the message can be found in the MPI_SOURCE field of the outputted status struct.
 - If you don't need the information in the status struct (e.g. because you already know the source of the message), set the status address to MPI_STATUS_IGNORE.

Note: Unlike OpenMP, the MPI functions will always put their results into an address which you provide as their arguments. The return value of the function is not an output, but rather the error code of the function. In this section, we will implement the ManyMatMul example from lecture using a manager-worker approach.

We have n pairs of matrices available in input files `Task0a.mat`, `Task0b.mat`, `Task1a.mat`, `Task1b.mat`, ..., and we want to multiply each pair of matrices together, with their outputs written to the output files `Task0ab.mat`, `Task1ab.mat`, ...

We want to accomplish this task using multiple processes such that one process (the manager) assigns work to all other available processes (the workers).

- 4.1 First, perform the overall setup required for Open MPI to function. Fill out the following skeleton of the program:

```

1  #define TERMINATE -1
2  #define READY 0
3
4  /**
5   * Takes in a number i. Reads files Taskia.mat, Taskib.mat,
6   * multiplies them, then outputs to Taskiab.mat.
7   */
8  int matmul(int i) {
9      // omitted
10 }
11
12 int main(int argc, char** argv) {
13     int numTasks = atoi(argv[1]); // read n from command line
14     _____; // initialize
15     // get process ID of this process and total number of processes
16     int procID, totalProcs;
17     MPI_Comm_size(MPI_COMM_WORLD, _____);
18     MPI_Comm_rank(MPI_COMM_WORLD, _____);
19     // are we a manager or a worker?
20     if (_____ ) {
21         // manager node code (see Q3.3)
22     } else {
23         // worker node code (see Q3.2)
24     }
25     _____; // clean up
26 }

```

- 4.2 Next, fill in what the worker needs to do. Worker processes should repeatedly ask the manager for more work, then perform the work the manager asks of it. If it receives a message that there's no work to be done, it should stop. Let us define a simple communication protocol between the manager and worker:

- When the worker is free, it will send the READY(0) message to the manager.
- The manager will send one number back, which is the task number the worker should work on next.
- If there are no more tasks to done, then instead the manager will send back the TERMINATE(-1) message to the worker.

We will use a single 32-bit signed integer as the message, which corresponds to the MPI data type MPI_INT32_T.

```

1 // worker node code
2 int32_t message;
3 while (true) {
4     // request more work
5     message = _____;
6     MPI_Send(_____);
7     // receive message from manager
8     MPI_Recv(_____);
9     if (message == TERMINATE) _____; // all done!
10    _____; // do work
11 }

```

- 4.3 Finally, fill in the code for the manager process. While there's still more work to do, the manager should wait for a message from any worker and respond with the next task for the worker to work on. When all work has been allocated, the manager should wait for another message from each worker (meaning the worker is done with all work), and respond to each with the TERMINATE(-1) message. The manager shouldn't exit before sending TERMINATE to every worker!

```

1 // manager node code
2 int nextTask = 0; // next task to do
3 MPI_Status status;
4 int32_t message;
5 // assign tasks
6 while (_____ ) {
7     // wait for a message from any worker
8     MPI_Recv(_____);
9     int sourceProc = _____; // process ID of the source of the message
10    // assign next task
11    message = _____;
12    MPI_Send(_____);
13    nextTask++;
14 }
15 // wait for all processes to finish
16 _____ {
17     // wait for a message from any worker
18     MPI_Recv(_____);
19     int sourceProc = _____; // process ID of the source of the message
20     message = TERMINATE;
21     MPI_Send(_____);
22 }

```

5 Open MPI with Dependencies

Now that we have a working Open MPI implementation of our ManyMatMul task, lets extend this to account for data dependencies! Let's change our task to have an additional step: multiply n output matrices `Task0ab.mat`, `Task1ab.mat`, etc. in place with a set matrix `kernel.mat`.

Here we provide a new function to use in the worker process:

```

1  /**
2   * Takes in a number i. Reads files Taskiab.mat and
3   * multiplies them with kernel.mat in place. If file
4   * does not exist, return -1
5   */
6  int final_matmul(int i) {
7      //omitted
8  }
```

- 5.1 Provided below is the pseudocode for the manager process in our new implementation. Assume that our program and workers are set up in the same way as described in Q3.

```

1  // manager node pseudocode
2  counter = 0;
3  while (counter < n) {
4      Wait for a message from any worker;
5      Assign worker with the next pair of matrices to multiply,
6      worker will call matmul(counter);
7      counter++;
8  }
9  counter = 0;          // start in-place multiplication
10 while (counter < n) {
11     Wait for a message from any worker;
12     Assign worker with next in-place multiplication,
13     worker will call final_matmul(counter);
14     counter++;
15 }
16 // wait for all processes to finish
17 for each process {
18     Wait for a message from any worker;
19     Send worker message to TERMINATE;
20 }
```

Will this program successfully output the correct matrix files? If it doesn't, explain why. If it does, does it optimally parallelize our desired task? You may assume that if `final_matmul` returns -1, the worker will wait some amount of time before sending the manager another `READY` message.